

MORE VERSATILE, TWICE THE POWER OF ANY OTHER GROUND DRIVE SPREADER



# Redhawk™ Spreaders

Models CU40, CU50, CU80



Farm  
Orchard  
All-purpose  
Rental

Lime  
Fertilizer  
Gypsum & Marl  
Compost  
Pelletized materials  
Wood shavings  
Sand  
Much more





### Suspension

Massive walking beam suspension eliminates spindle stress caused by torsion axles. Handles any load...no problem.

# Redhawk™

More versatile  
Legendary reliability  
Tougher than ever

Ask any farmer who has a Stoltzfus Spreader. Chances are he's been using it for 10 years or more with no hassles. Now we've taken our spreaders to the next level.

There are many spreaders, but none engineered and built like the new Redhawk™ series from Stoltzfus. For equipment that does more, lasts longer and is trouble free, look at the Redhawk.

### 2X-Power press wheel

Twice the ground-drive traction because the press wheel sits between and grips both tires. Spreads lime at 7,000 lbs per acre, or fertilizer at 125 lbs per acre.



### Ingenious engineering

Our testing found that sides with a 53° slope provide the best combination of material flow and capacity, and our much-copied 4" vertical pan design eliminates bridging.



### Overbuilt

We start with basic engineering specs, but don't stop there. Using COR-TEN® steel that won't rust through.

"Apart from my tractor, our Stoltzfus Spreader is the single most versatile piece of equipment on the farm." — Pennsylvania

"I've used the same Stoltzfus Spreader for 22 years. It's still going strong." — New York

"I just wish all my equipment was made like my Stoltzfus Spreader." — Ohio



#### Unibody construction

Redhawk Spreaders are actually one solid weldment of the heaviest materials. That's what makes them so strong. Even the supporting ribs are welded every inch where they attach to the body.



#### Difference in the details

For example, placing the spinner motor above the spinner eliminates vibration and isolates the motor from the shock of material pounding on the spinner disk, and reduces exposure to corrosive materials.



#### Smoother material flow

Our special Sawtooth Delivery™ feature prevents material surges for low rates of fertilizer.

### A Redhawk Spreader does it all

- Lime, at 7,000 lbs / acre
- Fertilizer, at 125 lbs / acre
- Gypsum, Marl
- Wood shavings
- Compost
- All types of organic materials
- Pelletized materials
- Lime stabilized sludge
- Soil mixtures of all types

Ask us about your most challenging material



1-800-843-8731



#### Orchards and Vineyards

Maximum flexibility in material application for orchards, vineyards and many other specialty applications.

# Redhawk™

BY STOLTZFUS

Versatile  
Dependable  
Convenient  
Solid Value  
Rugged

## DO THE MATH

Example: A 300 acre farm, applying 2 tons of lime per acre annually.

	Custom Applicator	Spread Your Own
Bulk Lime Delivered/Ton	-0-	\$12.
Cost/Ton for Lime + Application	\$20.	-0-
Tons/Acre	2	2
Cost 300 Acres 300 x 2 x \$20.	<b>\$12,000.</b>	
Cost 300 Acres 300 x 2 x \$12.		<b>\$7,200.</b>
<b>Savings Per Year</b>		<b>\$4,800.</b>
Spreader Cost*		\$13,000.

\*Average for illustration purposes; will vary by region, model and options

## CONVENIENT



Spread the material you want, when you want to. No more waiting for the other guy's schedule.

## EASY ON THE SOIL

No more deep compacted ruts from heavy applicator trucks built for road travel.

## SAVINGS PAYBACK

Example based on savings calculated on the table at left



## STOLTZFUS REDHAWK SPECIFICATIONS

Redhawk Model	Redhawk CU40, Orchard	Redhawk CU50	Redhawk CU80
Max load	4 ton	5 ton	8 ton
Hopper height	31"	42"	47"
Hopper width	60"	74"	78"
Hopper length	120"	96"	120"
Hopper capacity	85 cu. ft.	108 cu. ft.	168 cu. ft.
Overall height	65"	72"	87"
Wheel track	70" cL	70" cL	80" cL
Tires	11L x 15, 8 ply	11L x 15, 8 ply	19L x 16.1, 10 ply
Empty weight	2,750 lb	2,600 lb	3,950 lb

## Key Standard Features

- Double-contact press wheel
- Unibody fully welded construction
- Structural COR-TEN® steel throughout
- Purpose-built walking beam suspension
- Self-aligning body chain idler shaft, dual speed drives
- Dual 24-inch hydraulic spinners
- Top-mounted spinner motors adds service life
- "Sawtooth" pan edge, easy-reach metering gate
- Spreads 40' to 50' depending on material
- Hopper walls 53° for optimum operation
- Easy chain adjustment, easy-grease bearings
- Half inch thick HPDE floor

## Selected Options

- Tarp and bow, or rolled-top tarp
- Hydraulic brakes
- Hydraulic metering gate
- Lights

## Orchard Options

- Low rate kit, for fertilizer, seed application
- Single side spreading kit
- Limb guards
- Center deflector prevents center spreading
- Banding deflectors for narrow patterns
- Custom widths

## Beyond Orchards and Vineyards

We custom make spreaders for many unique applications. Please call to discuss your special requirements.



**1-800-843-8731**

LimeSpreaders.com  
Morgantown, PA 19543